

1-to-4 optical splitter mounting tray



1-to-4 optical splitter mounting tray



Consolidate your fiber optic distribution with our splitter tray. In a PON system, with configurations for centralized or remote splitting, ensure reliable signal delivery with minimal loss.




CommScope offers a portfolio of bare and connectorized splitters/couplers in a wide range of styles and split ratios, and splitter modules for inside plant (ISP) and outside plant (OSP) applications that help ...



Mini-OTE 300 Plug-N-Play Closure, 4 Ports, 1×4 Splitter Mini-OTE 300-Series, Optical Terminal Enclosure, 4-port full-size connector, with 1×4 splitter, black, with grounding, external mounting.



Discover CommScope fiber splice trays, fiber optic splice trays, and a convenient fiber splice organizer. Organize fiber connections with ease.



1×N tray-type PLC splitter designed for fast installation inside closures, ODFs, and wall boxes. Ideal for FTTH and MDU optical distribution networks.



The type of splice technology used (fusion or mechanical) and whether planar light circuit (PLC) splitters are required will help determine which BPEO splice tray should be selected.



Optimize your fiber optic network with premium Fiber Optic Cable Accessories & Splitters from Charles Industries. Visit us for durable and efficient solutions. Enquire Now!



The tray is available in three styles, Style C which accepts either a standard HellermannTyon 3A, ANT/Crimp and the optical splitter/3A or ANT splice bridge and can accommodate 2 x 60mm x 7mm ...



These AFL splitter trays feature 1x4, 1x8, 1x16 or 1x32 planar technology with optical characteristics that include low insertion loss, high uniformity and excellent environmental stability.



FS PLC Fiber Optic Splitters, Bare/Blockless/ABS/LGX Splitter/Rack Mount Types, support 1xN light distribution, with low IL and PDL for high-reliability transmission. ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

