


12-core outdoor multimode optical cable



12-core outdoor multimode optical cable




Composed of 12 multimode fibers (50 micron core), wrapped inside Water-Proof Aramid Yarn and Black PVC outerjacket, the cable is prevented from external damages and last for decades. This fiber optic ...




The 12-core GYTY53 is a double-sheathed, steel-armored fiber cable for outdoor ...



The 12-core GYTY53 is a double-sheathed, steel-armored fiber cable for outdoor and underground installations. It includes a central steel strength member, gel-filled loose tubes, water-blocking ...




This indoor/outdoor cable has a water blocking aramid yarn strength member surrounding the fiber optic strands and a UV resistant outer jacket making it a very versatile and perfect choice for a large ...



Water-blocked (dry technology), sunlight resistant indoor/outdoor tight buffer riser rated cable line offers the system designer the ultimate in premises fiber optic cable utility.



Utilizes 12 strands of Corning InfiniCor 300 multimode fibers, optimized for 850nm and 1300nm wavelengths, supporting fast LAN speeds. Designed for easy installation across a variety of ...



Our Steel Armored Fiber Optic Cable features Rodent Resistant Spiral Steel Armor, 12 strands of OM3 50/125um Multimode Corning® ClearCurve® Multimode core, ...



The plenum distribution fiber optic cable uses high performance components and construction and is UL Listed in accordance with NEC section 770.179 (a) for use in ducts, plenums and air-handling spaces.



Our Steel Armored Fiber Optic Cable features Rodent Resistant Spiral Steel Armor, 12 strands of OM3 50/125um Multimode Corning® ClearCurve® Multimode core, and an black riser rated jacket.



The Indoor / Outdoor 12 Fiber Distribution Cable - Multimode OM1 62.5 micron, Riser Rated - 1000 FT is used in trunking, LAN, and distribution applications where small size, lightweight, and versatile ...



It is composed of 12 multimode fibers (62.5 micron core) inside a water blocking Aramid yarn wrapped in a black PVC outer jacket. Multimode fiber is optimized to work with fiber optic equipment using light ...



This cable is a 12 Fiber Multimode OM1 Custom Indoor/Outdoor Fiber Cable with Pre-terminated connectors and a strengthened fan-out / breakout from 0.9mm to 2.0mm.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

