

# GDR Telecom Site Energy Systems

## 12-inch pigtail




## 12-inch pigtail



Flame King's 12-inch Pigtail Propane Hose Connector is designed to connect a propane cylinder to an RV or trailer propane regulator. It has an ACME nut x 1/4" inverted male flare.



Camco 12-Inch Pigtail Propane Hose Connector - ACME nut and 1/4" inverted male flare connections - Connects Propane Cylinder to your RV or Trailer Propane Regulator (59053)



Flame King's 12 in. Pigtail Propane Hose Connector is designed to connect a propane cylinder to an RV or trailer propane regulator. It has an ACME nut x 1/4 in. inverted male flare.



EPCO's 12" Insulated Stranded Wire PigTails are ideal for grounding and bonding in metal box installations. Their pre-assembled, flexible design makes them perfect for commercial, residential, ...



Type:1 Acme Nut Pigtails are used with Double Stage Automatic Changeover Regulators for two cylinder systems or Standard Double Stage Regulators with "T" check connections.



Flame King's 12-inch Pigtail Propane Hose Connector is designed to connect a propane cylinder to an RV or trailer propane regulator. It has an ACME nut x 1/4" inverted male flare.



Camco 59053 propane pigtail connectors is used for connecting propane cylinder to RV or trailer propane regulator. 200,000 BTUs per hour.



Camco's 12" Pigtail Propane Hose Connector is designed to connect a propane cylinder to an RV or trailer propane regulator. It has a ACME nut x 1/4" inverted male flare.



Flame King's 12 in. Pigtail Propane Hose Connector is ...



IDEAL Electrical Grounding Pigtails are available for both solid and stranded wires. Our combination pigtails come with stranded and solid wires. All pigtails come with thread-forming, zinc-plated ...



Measuring 12 inches from crimp to crimp, this pigtail offers the ideal length for propane gas transfer. Choose The Suburban by Dicor LP-PT12F 12-Inch Pigtail Type 1 Acme Nut for a secure and easy ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

