

135-degree prefabricated elbow for cable trays



135-degree prefabricated elbow for cable trays



The Trough Type 135° Horizontal Elbow is a core accessory of the trough cable tray system, specially engineered to achieve a 135-degree horizontal direction change for horizontal trough cable trays.



UMI horizontal flat elbow is a type of elbow fitting specifically designed for cable trays that run horizontally. Elbows are used to redirect the path of cables around corners or obstacles.



SFSP manufactures a wide range of products capable of providing the characteristics which respond to the proposed application, along with quality of assembly, speed of installation, and cost-saving cable ...



These elbows are pre-fabricated in standard angles—typically 15°, 30°, 45°, 60°, and 90°—to allow smooth transitions in cable tray runs. Available in both welded and seamless types, ...



Choose from our selection of cable trays, including over 850 products in a wide range of styles and sizes. Same and Next Day Delivery.



WBT PreForm and Fittings allow you to retrofit to any installed tray pathway, and it doesn't lock you into a single sourced supplier with proprietary sections and solutions.



Our aluminum, I-beam ladder cable trays feature 3-inch tangents and are using connectable with our fittings and accessories. Aluminum ladder cable trays benefit from being lightweight and resistant to ...



Eaton's B-Line series metallic cable ladder systems are designed to provide superior strength to weight ratio while providing a lower total installed cost solution.



Our cable trays are produced in fit for purpose materials like stainless steel, galvanized, aluminium and fibreglass (FRP/GRP) composites to suit any project type both offshore and onshore. We also offer a ...



Not only give protections and close-pack functions, but cable tray elbows do also have excellent and super fabulous aesthetic exterior designs. These also offer competitive price ratings.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

