

GDR Telecom Site Energy Systems

38s Multimode Fiber



38s Multimode Fiber



Multi-mode optical fiber is a type of optical fiber mostly used for communication over short distances, such as within a building or on a campus. Multi-mode links can be used for data rates up to 800 Gbit/s.



Ophit OPM38CMP is an 8-Core, MPO, 50/125 micron multi-mode fiber cable. Transmit high quality 4K/8K resolution up to 98.4 feet (30 meter) by using optical multi-mode fiber without any video signal ...



This multimode 50/125 OM4 cable is an ideal choice for 400 Gb Ethernet applications up to 100 meters (328 feet) at 850 nm. It is also backward compatible with 10 Gb, 25 Gb and 40 Gb networks, so you ...



With three female MTP/MPO connectors on each end, this OM4-rated multimode fiber optic cable is recommended for high-density fiber patching between data center MDFs (main distribution frames) ...



The N858B-38M-3X8MG is a premium multimode fiber optic cable that supports 400 Gb Ethernet speeds for transmitting data and voice signals over short distances. It is designed to support higher ...



This multimode 50/125 OM4 cable is an ideal choice for 400 Gb Ethernet applications up to 100 meters (328 feet) at 850 nm. It is also backward compatible with 10 Gb, 25 Gb and 40 Gb networks, so you ...



The 38-meter (124-foot) N858-38M-3X8-MG MTP/MPO Multimode Base-8 Trunk Cable supports 40/100 Gb Ethernet speeds and is designed for high-density connections between network equipment in ...



Compare OM1, OM2, OM3, OM4, and OM5 multimode fiber specs, distances, bandwidth, and applications. Essential guide for data center fiber selection.



Enhance your network with BLACKSTONE Aerial Cable Figure 8 Fiber Optic Cable: 38 Cores, OM1, 11.6 mm design, PE, Black finish for reliable performance.



Enhance your network with BLACKSTONE Aerial Cable Figure 8 Fiber Optic Cable: 38 Cores, OM2, 11.6 mm design, PE, Black finish for reliable performance.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

