

3m cable tester measures buried optical cables



3m cable tester measures buried optical cables



The 2273 provides accurate cable or sonde depth measurements, giving a digital readout in inches, feet and inches, or centimeters (user-selectable). Additionally, when used in conjunction with the 3MTM ...



The 2273 cable/fault locator can precisely locate sheath (earth return) faults on both short and long cable sections. The unit sends a trace signal simultaneously with a fault-locate signal, allowing the ...



The 3M™ Dynatel™ Locator 2250/2273 Series is designed to find the path and estimated depth of buried cables and pipes.



Both the receiver and the transmitter feature a self-test routine which is executed each time the unit is turned on. A power-up battery test indicates the battery level. Both components are constructed of ...




This Dynatel pipe locator features a microprocessor-based system that utilizes advanced digital signal processing to swiftly and efficiently determine the location of sheath faults and trace the paths of both ...



The 3MTM Dynatel™ 2273 Advanced Cable and Fault Locator consists of a Transmitter and a Receiver for locating buried cables or Active Duct Probes (sondes). It also measures and pinpoints ...



The 3M 2273M-UU3W/RT Ultra Advanced Cable Locator is designed to find the path and estimated depth of buried cables and pipes.



The 3M Dynatel 2273 is an advanced cable and fault locator designed for tracing, locating, and measuring properties of buried underground utilities. Here's a breakdown of its key functionalities:



The 3M Dynatel Locator 2273M Series is designed to find the path and estimated depth of buried cables and pipes, and the ability to find underground faults.



The 3M™ Dynatel™ Locator 2273M series is designed to find the path and estimated depth of buried cables, pipes and markers, and the ability to find underground faults.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

