

45-degree distribution box bracket



45-degree distribution box bracket



2-Hole zinc plated steel 45-degree closed angle bracket. Bracket has two 9/16-Inch holes mounting for convenient installation and measures 2-1/2 Inch x 3-1/2 Inch x 1/4 Inch.



The Unistrut P1186 45 Degree Bracket 2 Hole HDG provides a strong and adaptable angled connection for framing and support structures using Unistrut channel systems.



Choose from our selection of 45 degree angle brackets in a wide range of styles and sizes. Same and Next Day Delivery.




Discover versatile 45 degree brackets for industrial frames, 3D printers, CNC equipment, and woodworking projects. Browse all styles.



B-Line by Eaton | B248-ZN 4-Hole 45 Degree Unistrut Angle Bracket, Zinc Plated Item #CPRB248-ZN



Unistrut P2265 fittings provide secure connections for 45 degrees, enabling flexible design in structural framing. Commonly used in framing, bracing, and structural support systems, this bracket offers ...



Choose from our selection of 45 degree brackets, including brackets, structural framing, and more. Same and Next Day Delivery.



Select your local branch for best pricing and delivery options. Orders ship in 1-3 business days. Fittings, unless noted, are made from hot-rolled, pickled and oiled steel plates, bar, strip or coil.



Shop Brackets - 8-45 Series, Thick Brackets, 45 Degree Angle from MISUMI. MISUMI USA has all of your Angle Brackets needs covered, with over 3.8M high quality products and 80 sextillion ...



Open 45 Degree Angle. 4 Holes. 4-7/8 Inch side X 5-1/4 Inch side X 1-5/8 width. Zinc coating is applied by hot-dipping after fabrication. Is in conformance with ASTM A-123, Grade 65 specification ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

