


## 800mm deep cold aisle cold cabinet manufacturer



## 800mm deep cold aisle cold cabinet manufacturer




Find out how to improve your data center infrastructure efficiency, using the cold aisle containment or hot aisle containment solutions from Vertiv.



A unique cabinet solution for applications that require engineering services. Our engineering team will work with you to create a cabinet design to meet your requirements for the data center.



Stock private mold Yes cabinet standard 19inch size 600\*1200\*2000 place of origin Zhejiang, China material SPCC Cold Rolled Steel brand name sunIn Width 600mm 800mm Optional Height 42U ...



Our advanced manufacturing capabilities allow us to provide fully customizable Hot and Cold Aisle Containment racking components that improve airflow management, optimize energy efficiency, and ...



Designed to your specification, it can be custom configured to fit any white space layout, enabling a precise fit and streamlined installation. With a choice of single to double doors, Tate's Cold Aisle ...



Sliding Doors offer data centers aisle-end containment in just minutes and without the need for contract labor. The one-tool design allows for quick and easy installation, removal, and re-installation with ...



Custom engineered hot and cold aisle containment solutions that keep your data center running smoothly — and make your build-out be more efficient, too.



Stock private mold Yes cabinet standard 19inch size 600\*1200\*2000 place of origin Zhejiang, China material SPCC Cold Rolled Steel brand name sunIn Width 600mm 800mm Optional Height 42U ...



- The sliding door low profile aisle containment system shall create a structure including end of row doors and ceiling panels that enclose the cold aisle between rows of cabinets to segregate cold and ...



Net-Contain™ Sliding Door Low Profile Cold Aisle Containment System for N-Type and S-Type Cabinets



This network cabinet in the color black has the following dimensions: 800mm wide, 1200mm depth, 42U height. It includes a single perforated front door and perforated single door at the rear provided with ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

