

Bulk purchase of 40G DFB distributed feedback lasers



Bulk purchase of 40G DFB distributed feedback lasers




Distributed Feedback Lasers (DFB) from Innolume ensure high wavelength stability and narrow linewidth. Covering 780-1350 nm, they feature a proprietary chip design.



NEL offers a vast array of products in the information, telecommunications, and multimedia fields - from key devices all the way to system components.



The front facet of the laser chip is provided with a high quality antireflection coating for avoiding the Fabry Perot modes of the laser chip. Distributed Feedback (DFB) Diode Lasers are available at ...



With versatile, hermetically sealed packages like HHL, TO-can, and fiber-coupled options, our customizable DFB laser diodes ensure precise spectral control and reliable integration into advanced ...



Discover SemiNex's high-power and stable Distributed Feedback Lasers in C-band and O-band wavelengths for LiDAR, optical communications, and data centers. Customizable options available ...



This page describes our DFB-LD (Distributed Feedback Laser Diode) products suitable for applications such as fiber sensing, 3D sensing, and gas sensing.



DFB lasers are typically much higher in price relative to a Fabry-Perot device with a similar wavelength and optical output power. Quite a few factors contribute to the higher cost of DFB ...



Explore 26 top manufacturers and suppliers of Distributed Feedback Lasers in our comprehensive photonics buyers" guide. A distributed feedback laser is a type of semiconductor laser diode ...



This distributed feedback lasers buying guide provides technical background, comparison of major types, selection criteria, and an overview of suppliers.



Our DBR single-frequency lasers offer similar linewidths and tuning ranges to the DFB lasers, but have a higher output power at the expense of mode-hop-free operation.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

