


Cable tray cross-shaped tee



Cable tray cross-shaped tee



WBT's shaped crosswires eliminate cable stress by increasing the support of the cabling, yet still offers the same functionality of wire tray to cut and configure, and utilizes the same splicing and mounting ...



When ordering state widths W1xW2xW3. NOTE : Equal or un equal tees can be supplied. When ordering state widths W1xW2xW3. Office: 147/22 Nguyen Sy Sach Street, 15 Ward, Tân Bình ...



We offer a range of cable crossovers and tees, available in both equal and unequal measures, for light, medium, and heavy duty cable tray systems in widths of 50mm - 900mm.



Customize cable routing with Cope fiberglass horizontal tee fittings for flexible system design.



The aluminum I-beam design of ITray is perfect for industrial installations with large diameter cables in long span situations, minimizing total tray width and creating a smooth transition between straight ...



To facilitate easy installation of cable trays we also manufacture accessories e.g. Vertical bend, horizontal bend, cross and horizontal tee. Our range includes vertical bend, horizontal bend, cross ...



A cross (equal) is a cable tray fitting that forms a cross-shaped intersection. It allows cables to be routed in four perpendicular directions, creating a junction point where multiple cable tray runs meet.



Discover our Horizontal Tees for cable tray systems. Contact us today for availabilities and receive a quote. Fast shipping for just in time delivery!



High-precision fabrication ensures structural strength, seamless cable movement, and consistent mechanical/electrical performance across the entire pathway. These fittings allow installers to ...



The nVent CADDY Wire Basket Tray PreForm Tee is a precision-engineered solution designed to streamline cable tray installations when routing cabling in two or three different directions.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

