


Cable tray guy wire clamps



Cable tray guy wire clamps



Two-piece bracket attaches to 3/8" (9.5mm) wide x 1 1/2" (38.1mm) or 3/8" (9.5mm) wide x 2" (50.8mm) ladder rack rail. Bracket halves slide into position and clamp together on the ladder rack rail, which ...



These are the most corrosion-resistant tray systems we offer for routing cable and hose in configurations such as curves, slopes, and tees. Cut, bend, and connect the wire mesh trays.



Amazon : cable tray clamp 2 Pack Cable Management Under Desk Tray, Xpatee 27.6" No Drill Open Slots Cable Management Tray, Cord Wire Organizer Box with Clamp for Table ...



Cable Tray Ground Clamp, 6 AWG - 250 MCM, Aluminum With Tin Plating, Stainless Steel Hardware, Suitable for Outdoor Applications With Flange In/Out Cable Tray Design



MP Husky cable tray clamps are the most reliable, highest quality, and cost effective cable tray clamps in the industry. Proper cable tray support is an integral part of any installation, and having the best ...



Provides a 12 inch clearance from the pole and is fastened with two 5/8 inch mounting bolts. Clamp plates are reversible to accept a wide range of messenger diameters.



QWORK 1/2" Wire Rope Clamp Clip M12, 20 Pack Large U Bolt Saddle Guy Fastener, 304 Stainless Steel Fastener Cable Clamps, Connect 2 Layers of Wire to Form a Loop



For use in telecom applications. It has a tinned finished and used with a #6 solid conductor. Category: Guy Wire Clamps. SSSC2 - Standing seam clamps are designed for a variety of metal roofing ...



MSI H-J25088.1 5/8" Straight Suspension Clamp, with Flat Keeper Plate, is used with through bolts to serve as clamping member. This Flat 3-hole clamp securely grips messenger strand to pole, it uses a ...



Choose from our selection of guy wire clamps, including wire rope clamp and thimble kits, cast wire rope clamps, and more. Same and Next Day Delivery.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

