



## Cable tray jumper wire square





Duplex SC UPC





## Cable tray jumper wire square

	<p>Specifications Connector Type: Bonding Jumper Application: Cable Tray Joints Length: 16 in.</p>
---	--

	<p>B-Line 99-40 Bonding Jumper, For Use With Cable Tray, 4/0 AWG Copper Wire Size, 14.5 in</p>
---	--

	<p>Eaton B-Line series imperial cable tray and ladder bonding jumper, Bonding jumper for #1 copper wire size</p>
--	--

	<p>Eaton grounding strap, 0.162" height, 6.75" length, 0.162" width, Use to provide grounding path, Copper, Tin plated copper, Grounding strap, Grounding accessories, Includes 1 cable with crimped lugs and ...</p>
---	---

	<p>A bonding jumper is required to be installed with adjustable splices and expansion splices. Install Bonding Jumpers by bolting each lug to a 5/16 square hole located at each end of the channel.</p>
---	--



Use these jumpers to make electrical bonds between sections of cable tray.



Bonding jumper accessory for Cope cable tray systems. Ensures reliable electrical connectivity and safe grounding.



Steel bonding jumpers provide reliable grounding across cable tray gaps, with fasteners included for laminated jumpers. Check specifications for proper use.



\* 9", 6 AWG THHN Green Wire. \* 2 hole configuration. \* 1/4" or 3/8" stud sizes. \* Connection is weatherproofed with UL listed heat shrink.



Choose from our selection of bonding jumpers in a wide range of styles and sizes. Same and Next Day Delivery.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

