

GDR Telecom Site Energy Systems

Cable tray tail cap




Cable tray tail cap




These rubber caps are suitable to use with zinc wire mesh cable trays. This wire mesh cable tray rubber cap is constructed of durable, weather and chemical resistant steel to deliver high durability, ...



Quest offers rubber end caps for covering terminated/jagged cut ends of cable tray. Not only does it make the trays look professional, but it also protects the installers from cuts and unnecessary harm.



Available for delivery. Available for pickup at Hauppauge, NY. The neoprene end cap is used to cover exposed ends of cable tray sections. With same-day shipping, we reach most of the United States ...



Description End Cap End caps close off terminal ends of a straight channel or transitional fitting to protect cables and provide a finished look.



These are the most corrosion-resistant tray systems we offer for routing cable and hose in configurations such as curves, slopes, and tees. Cut, bend, and connect the wire mesh trays.



Can't find what you are looking for? Please fill out our non-stock/special order form and we'll get right back to you. Thanks!



There are a large number of cable tray fittings that are made compatible with each type of tray. These fittings help in maintaining support of the cable tray system. Shop Graybar's collection of cable tray ...



NavePoint Wire Mesh Cable Tray Rubber Cap is the ideal solution for neatly routing and organizing cable. It offers the perfect solution for mounting and securing wire mesh cable tray to the ceiling or floor.



Raceway Protective End Cap Protective End Cap, Height: 1-1/2", Material: Rubber, Color: Black. Package Quantity: 2, Sold in pairs.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

