

## Dry-tube fiber optic cable



## Dry-tube fiber optic cable



These cables combine flexible dry buffer tubes and swellable water blocking materials with Prysmian's extensive portfolio of single-mode and multimode optical fibers.



Plenum Dry Loose Tube Fiber Optic Cable is manufactured to have either one to six sub-units, water blocking yarn, an aramid ripcord, and a Plenum rated PVC outer jacket.



ISO 9001 Certified · Free Ground Shipping



Fiber Optic Cable - Dry Loose Tube ShowMeCables offers a wide variety of dry loose tube fiber optic cable options. We offer single mode as well as multimode (OM1, OM2, and OM3). Cut by-the-foot, ...



Belden's extensive line of indoor and outdoor cable products is offered in tight buffer and loose tube designs. Learn more about each fiber cable Belden has to offer.



Indoor/Outdoor Dry Loose Tube Fiber Optic Cable - 72 Fiber - 50/125 Multimode OM3 Riser Fiber Optic Cable- TLC M50DL72CGNRBL25 Dry Loose Tube, Fiber Optic Cables, Fiber Optics, ...




From rain to wind, cold fronts to heat waves, Dry Loose Tube Fiber Optic Cable offers a solution as the preferred choice for outdoor applications. An innovative exterior structure equips the fiber, handling ...



Fibertronics, Inc. is an SBA certified woman-owned small business providing USA manufactured customized fiber optic and low voltage cable assemblies, and products for distribution.



Berk Tek's Outside Plant Loose Tube fiber optic cables are designed for installation in harsh environments such as direct burial, aerial lashing, conduit and pathways that are subjected to wide ...



Length:24.5mm  
Small-end inner diameter:0.9mm  
Large-end inner diameter:3.6mm  
Outer diameter:5.5mm

LightScope ZWP® Fiber Cable, Singlemode, 48 ct., Single Jacket, Dielectric, Loose Tube, Zero Water Peak, Dry/Dry, Price Per Ft. Our reels have a manufacturing variance of up to 5%, you will be billed ...



ExpressLT™ is a dry, loose tube, stranded, outside-plant fiber optic cable designed for quick installation and long-term outdoor performance without gel filling.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

