

# **Estonia DAC high-speed cable 1G**



## Estonia DAC high-speed cable 1G



With these features, this easy to install, high speed, cost-effective direct attach copper twinax cable is suitable for short-distance connectivity within a rack or between adjacent racks in data centers.



This cable is compliant with SFF-8472, SFF-8024, and SFP+ MSA. With these ...



The high speed cable assemblies meet and exceed Gigabit ...



All cables are 100% factory-tested for optimal performance, compatibility, ultra-reliability, and signal integrity. With the low pricing, those SFP DACs are perfect for short-distance connectivity within and ...



Philisun offers high-performance DAC Cables from 1G to 800G, including Direct Attach Copper solutions with SFP+, QSFP28, and QSFP-DD connectors. Designed for low-latency, short-reach links in data ...



The AMG SFP-DAC-10G series are industrial high speed Direct Attach Cables (DAC) offering transmission of 1Gb or 10Gb Ethernet data using passive Twinax cable technology over distances ...




This cable is compliant with SFF-8472, SFF-8024, and SFP+ MSA. With these features, this easy to install, high speed, cost-effective direct attach copper twinax cable is suitable for short-distance ...



With the features of the low cost, low power consumption and low latency, it is an alternative to optical transceivers for short reach links in high-speed interconnect applications such as Data Center, HPC ...



The high speed cable assemblies meet and exceed Gigabit Ethernet and Fiber Channel industry standard requirements for performance and reliability. These assemblies are called “passive” copper ...



Axiom 1G SFP Copper Direct Attach Cables (DAC) are 100% compatible in all OEM applications. They are pre-configured with an application specific code to meet the requirement set forth by the router ...



Enjoy Free Shipping Worldwide! Limited Time Sale Easy Return.



Arista offers a broad portfolio of high performance optical transceivers and copper cables for datacenter and campus networks, with speeds ranging from 1G to 800G, and reach from 1m to 80km+.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

