


Ethiopia OSFP Optical Module 25G



Simplex SC UPC



Ethiopia OSFP Optical Module 25G



Eoptolink's 25G SFP28 transceivers are suitable for 25G Ethernet and CPRI (option 10) applications, like in 5G mobile networks. The family offers modules for the industrial temp range from -40°C to ...



25G SFP28 optical transceivers supporting SR, LR, ER and other standards for high-performance data center networks.



Arista's Optical Modules and Cable portfolio offer a wide variety of high-density and low-power 800G (dual 400G), 400G, 200G, 100G, 50G, 40G, 25G, 10G, 1G, and 100M Ethernet connectivity options ...



OSFP (Octal Small Form Factor Pluggable) optical module: the OSFP is a new pluggable form factor with eight high speed electrical lanes that will initially support 400 Gbps (8x50G).




SFP vs SFP28 vs QSFP28 vs QSFP-DD/OSFP: 2026 Data Center Optical Transceiver Selection Guide
An engineer-focused, “just tell me what to choose” guide to transceiver selection ...



RoHS compliant and engineered for demanding networking scenarios, this transceiver delivers future-proof scalability for next-generation infrastructure.



RoHS compliant and engineered for demanding networking scenarios, this transceiver delivers future-proof scalability for next-generation infrastructure.



The OSFP module shall operate within one or more of the case temperature ranges defined in Table 8-1. The temperature ranges are applicable between 60m below sea level and 1800m above sea level.



GIGALIGHT offers 25G to 800G immersion liquid cooling extenders for common optical transceivers or active optical cables with various cage options, such as ...



Comprehensive Optical Transceivers & SFP Module for High-Speed Networks LINK-PP offers a full range of optical transceivers and SFP module for modern data centers, telecom networks, and ...



The optical module factory has a full range of products from 155M, 1.25G, 2.5G, 10G, 25G, 40G, 100G, 200G, 400G, 800G modules

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

