


# GDR Telecom Site Energy Systems

## FC explosion-proof pigtail fiber



## FC explosion-proof pigtail fiber



The bend-insensitive fiber optic pigtails have less attenuation when bent or twisted compared with traditional fiber optic pigtails, making the installation and maintenance more efficient.



These fiber optic pigtail connectors are compliant to IEC, TIA/EIA, NTT and JIS specifications. The FC connector is a one piece construction and push pull off design. Low cost but high performance, which ...



OMC ribbon fiber pigtails with SC/FC/LC/ST connectors, featuring a well-structured design for easy wiring and efficient fiber optic deployment with fiber cable pigtail.



This is a high-quality singlemode OS2 9/125µm fiber optic pigtail featuring FC/APC connectors. Built with premium zirconia ferrules and durable composite hardware, these pigtails deliver excellent optical ...



HOLIGHT fiber pigtails ensure low-loss termination. Available in SC, LC, FC, ST, singlemode & multimode for precise splicing.



FS fiber optic pigtails offer a fast way to make fiber optic communication devices in the field by fiber splicing, fully manufactured and tested by industrial standards.




Leviton fiber optic pigtail kits are a good solution for mechanical or fusion splicing applications. Available in a range of multimode and single-mode fibers with SC, ST or LC connectors. Our premium pigtails ...



FiberMania provides customizable FC pigtails with OEM services. Low-loss, durable, and precise fiber termination solutions for telecom and labs.



In industrial settings where vibration, dust, and harsh conditions threaten connectivity, the FC Multimode Fiber Pigtail (FC-MM) delivers uncompromising reliability.



The LongXing brand of fiber cable assemblies are designed and manufactured in LongXing's ISO9001 registered facility. The product range covers both single mode and multimode patch cords and pigtails.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

