




# GDR Telecom Site Energy Systems


## Fiber FC-FC Outdoor Self-operated





## Fiber FC-FC Outdoor Self-operated

	<p>This incredibly durable outdoor armored fiber optic cable has two additional steel wires for the tensile strength necessary for extended lengths of outdoor use, in addition to IP68 and UV ratings.</p>
---	---

	<p>1Meter (3.3 feet), Armoured, LSZH, Zip-Cord Reinforced, Duplex (2 Fiber Strands), 1.25mm ceramic ferrule, FC/PC to FC/PC, Fiber Patch Cable/Jumper Cord. Great flexibility and durability with a flexible ...</p>
---	--

	<p>This 8-core single-mode fiber optic cable is engineered for demanding outdoor environments, offering superior mechanical protection through its armored design. Ideal for outdoor emergency training and ...</p>
--	---

	<p>For outdoor applications, employ Hhd fiber Outdoor Fiber Optic Cable to achieve a clean and simple outdoor installation, free of harm caused by rodents or any further intrusions.</p>
---	---

	<p>Buy Haile's 2-core 500m single-mode armored fiber optic cable for outdoor field use. Supports SC/FC/LC connectors. Ideal for emergency communication and field training without cable car.</p>
---	---



□Special Design□ This outdoor armored fiber optic patch cord features an added layer of stainless steel tubing to protect the fiber, providing high tensile strength, compression resistance, bending ...



Providing greater protection than standard cables, it enables installation in special environments with excessive dust, oil, gas, moisture, or even damage-causing rodents.



For outdoor applications, employ Hhd fiber Outdoor Fiber Optic Cable to achieve a clean and simple outdoor installation, free of harm caused by rodents or any ...



15 Meter Length Singlemode (9/125) Indoor/Outdoor FC-FC Duplex 2 strand Fiber Optic Cable.



This OS2 fiber patch cable is ideal for 1/10/25/40/100/400G Ethernet connections. It offers low signal attenuation and high bandwidth for long-distance transmission.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

