


Fiber optic pigtail connector models and specifications

Component Diagram



Key dimensions



Fiber optic pigtail connector models and specifications



CommScope engineers and manufactures a complete line of high quality fiber pigtails



Single-mode and multimode fiber optic pigtails shall be available in three-meter lengths and be compliant with ANSI/TIA-568.3 and ANSI/TIA-598-D. Single-mode pigtails shall come in LC, SC, and ...



The fiber pigtails are designed to support fusion and mechanical splicing for fiber cabling systems. They are available separately or in kits for ease of installation and ordering.



Both fiber optic patch cords and pigtails are available in OM1, OM3, OM4, OM4+, OM5 and OS2 fiber types to meet the demands of Gigabit Ethernet, 10 Gigabit Ethernet and high speed Fibre Channel.



OCC's fiber optic pigtail assemblies are designed for reliability and performance. All OCC pigtail assemblies may be ordered pre-terminated in any OCC rack or wall mount cabinet or custom ...



OPTICO offers a full line of simplex or Bundle Fiber Pigtails. Fiber pigtail is an important component of fiber network. It is at the end of the SC/LC/ST/FC/E2000 / MTP/MPO/MTRJ optical fiber connector, ...



Featuring a unified construction allowing for easy fiber identification and rapid installation, these assemblies are built to exceed all TIA and Telcordia requirements. AFL's pigtail assemblies help ...



These pigtails undergo quality testing to meet or exceed industry standards while adhering to stringent performance specifications. Fibertronics Inc. offers single-mode (OS2) and multimode (OM1, OM3, ...



Find high-quality fiber optic pigtails for reliable network termination. We offer a full range of single mode and multimode pigtails with SC, LC, ST, and FC connectors.



Pigtails are used for non-permanent connections in patch panels, transmission equipment etc. Factory assembled pigtails allow for high quality termination of a network.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

