

Haiti 1-to-32 Optical Splitter




Haiti 1-to-32 Optical Splitter



These splitters are used to distribute or combine optical signals, which are convenient for Telecom operators to split optical signals to multiple homes or businesses.



We offer ABS box PLC Splitters with a wide range of styles and sizes to split or combine light with minimal loss. All splitters are manufactured using a very simple process that produces reliable, low ...



Discover 1:32 optical splitters with SC/APC connectors, RoHS certified, for FTTH networks. Operates at 1260-1650nm, ideal for reliable fiber distribution.



The ****1x32 optical splitter**** is widely used in various network architectures. In FTTH systems, it enables a single optical line terminal (OLT) to serve up to 32 optical network units ...



High-performance 1x32 PLC Splitter with low insertion loss, SC/APC connectors, and blockless steel tube design. Ideal for FTTH, GPON, CATV, and PON networks.



Crafted with meticulous attention to detail, this fiber optic splitter features an advanced Planar Lightwave Circuit (PLC) technology, encased in a robust ABS plastic housing.



1x32 PLC Splitter divides or combines a signal inputs to 32 outputs. 1xN PLC splitters are precision aligning process to divide a single optical input (s) into multiple optical outputs uniformly,while 2xN ...



This PLC Splitter is a 1x32, with 1 input and 32 output fibers with an even split ratio across all fibers regardless of input wavelength. PLC Splitters are available with 900µm loose tube singlemode fiber ...



This professional-grade fiber optic splitter utilizes advanced planar technology and silica waveguides to facilitate the distribution of optical signals from a single source to thirty-two distinct output ports.



This PLC Splitter is a 1x32, with 1 input and 32 output fibers with an even split ...



1 X 32 Splitter Module designed to fit Fiber Frames. SC APC connectors. 1.2 m (3.94 ft.) inputs and outputs with 2 mm jumper jacket.



1x32 PLC Splitter divides or combines a signal inputs to 32 outputs. ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

