


# Huawei optical module green light



## Overview

Problem: All optical ports cannot be connected, and the indicator lights are not on. Single-mode/multimode fibers and single-mode/multimode optical . The Huawei-certified optical module has a silkscreen label of five lines printed above the barcode, and the silkscreen font must be consistent with that shown in the figure. Run the display esn interface command to check whether the optical module is a Huawei-certified one. If the Certified field. Click here for the Huawei HG8240T5 Installation Guide. POWER LED: No light: No power is supplied to the ONR. If the optical module is installed on a GE port, run the display interfaceGigabitEthernet x/x/x command to view port information when the optical module is inserted, including the rate and wavelength. NOTE: In the preceding table, if the LED status is marked “Blinking” but the frequency is not specified, it indicates that the blinking frequency of the LED is determined by the data traffic transmitted. The status of PON and LOS reflects the connection between GPON. This article summarizes several solutions for using optical modules with switches and common problems encountered during usage, along with specific solutions. Huawei S5720-32P-EI-AC Switch II.

## Huawei optical module green light




Check whether the transmit optical power and receive optical power of the optical module are within the normal range. If the transmit optical power is beyond the normal range, replace the ...




Click here for the Huawei HG8240T5 Installation Guide. The colours of each LED light on your Huawei HG8240T5 Optical Network Router (ONR) have different meanings.



The following uses the Moduletek SFP-10G-LR module connected to a Huawei S6700 switch as an example to introduce how to read information of the connected optical module on a Huawei switch.




Check the model of the faulty optical module. If it is not a Huawei-certified optical module, replace it with a Huawei-certified optical module. If the optical module is installed on a GE port, run the display ...



When the LOS LED blinks slowly, check whether the pigtail fiber is connected normally and whether the optical connector is contaminated. When the LOS LED blinks quickly, check ...



We will test each batch of optical modules to avoid compatibility problems of switch to the greatest extent. As the general transmission equipment and OLT equipment have good tolerance for optical ...



Problem: All optical ports cannot be connected, and the indicator lights are not on. Solution: To solve this problem, you can follow these steps: Check if the fiber and optical modules ...



Check whether the optical module is Huawei-certified. If it is not certified by Huawei, replace it with a Huawei certified one. Remove and reinstall the optical module. If this resolves the ...



If there is a Huawei logo on the label, the optical module has been certified for Huawei data center switches. If not, send the model of the optical module to technical support personnel.



See the interface module via the optical display command information, including general information of the optical module, manufacturing information, and alarm information.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

