

Huijue 4507r supports 10 Gigabit optical modules



Huijue 4507r supports 10 Gigabit optical modules



It supports high-density Gigabit Ethernet and 10 Gigabit Ethernet interfaces, providing scalability and flexibility for network deployments. The WS-C4507R-E offers advanced features such as Power over ...




- GBIC-based Gigabit Ethernet modules enable data transmission up to 100 km, supporting fiber-optic SC interfaces for both multimode and single-mode connectivity



We will offer a wide selection of compatible SFP, SFP+, and QSFP modules with high quality and competitive pricing. Below is a list of compatible ...




The Cisco Catalyst 4507R Modular Enterprise Switch chassis support Power over Ethernet (PoE) and non-PoE enterprise wiring closets. They also support all ...






The TwinGig Converter and X2 modules supported on the E-Series supervisor and the 10 GigabitE-Series line card enable customers to increase network performance from Gigabit Ethernet to 10 ...



Power supply Supports one or two power supplies. All Catalyst 4500 series AC-input power supplies require single-phase source AC.



Cisco Catalyst 4500 Series Switches - Some links below may open a new browser window to display the document you selected.



The TOE is a hardware and software solution that uses a combination of chassis, supervisor engine, and line cards as defined in Section 1.3.1, Table 3: the Cisco Catalyst 4500 Series Switches (4503-E, ...



Fabric-redundancy modules and redundant clocks ship standard with every Cisco Catalyst 4507R and 4510R chassis. Spare fabric-redundancy modules and clock modules are available for serviceability.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

