

Indoor 10 Gigabit OS2 Fiber Optic Cable



Indoor 10 Gigabit OS2 Fiber Optic Cable



Suitable for lashed aerial, duct, underground conduit and indoor plenum environments. Supported applications include Gigabit, 10 Gigabit and 40 Gigabit Ethernet.



Product Overview Product Category: Fiber Distribution Cable Suitable Applications: Premise Backbone



Siemon fiber optic cables are Indoor/Outdoor fiber cables are for ideal for data and centres, campus and offered in XGLO and LightSystem configurations supporting high-speed applications such as Gigabit ...



Provides Gigabit Ethernet link distances of 5000 meters at 1300 nm. Provides 10-GbE links of 10,000 meters at 1300 nm. Glass is bend-insensitive fiber with a 10-mm radius. Ideal for runs between wiring ...



[Extreme Performance] Engineered with Corning glass OS2 fiber, this cable supports 1 Gigabit up to 10,000 meters and 10 Gigabit speeds up to 5,000 meters at 1310/1550nm wavelengths. Optimized ...



Engineered with Corning® glass singlemode OS2 fiber, this cable supports 1 Gigabit speeds up to 10,000 meters and 10 Gigabit speeds up to 5,000 meters at 1310nm and 1550nm wavelengths.



It is composed of 12 singlemode fibers (9 micron core) inside a water blocking Aramid yarn wrapped in a black PVC outer jacket. Single mode fiber is optimized to work with fiber optic equipment using light ...




Length:12.0mm
Small-end inner diameter:2.0mm
Large-end inner diameter:3.5mm
Outer diameter:5.2mm

OM3 LC ST Indoor/Outdoor Duplex Fiber Optic Patch Cable, 10Gb Multimode 50/125 corning optical fiber cord (10Gb up to 300 meters). Tightly buffered in a flexible, black, indoor/outdoor, water & UV ...



Length:33.5mm
Small-end inner diameter:5.0mm
Large-end inner diameter:6.9mm

Mouser offers inventory, pricing, & datasheets for OS2 Fiber Optic Cables.



Experience seamless, rapid installations with our versatile indoor/outdoor ribbon fiber cable. Ideal for high-density data centers, colocation facilities and vertical backbones.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

