

# GDR Telecom Site Energy Systems

## Ireland CFP81G




## Ireland CFP81G



PM is only connected for sensor versions with internal solution ground (CPF81-xxx2xx). Temp. The electrode is suitable for flow and immersion installation.



nction and system design Measuring principle pH measurement The pH value is used as a unit of measurement for the acidity or alkalinity of a liquid medium. The membrane glass of the electrode ...



To get information on the new Memosens CPF81E sensor with extended functionality, [click here](#).



Product summary presents key information. [Close](#) to see all product details.



Learn which adapters and converters you need to safely use your devices in Ireland power plugs. Essential tips on plug types and voltage.



The document provides technical information about Orbipac CPF81/CPF82 and CPF81D/CPF82D compact pH/ORP electrodes that can be used for installation or immersion in industrial water and ...



Refer to name and product specs for all details. Shipping time may vary. Motion rep will advise.



Questions? Call one of our engineers at 1-800-884-4967. Memosens compact electrode for wastewater, primaries and metal industries.



Orbipac CPF81D is the digital, simple solution for harsh environments. It measures reliably and accurately even in fibrous media and at high flow rates. With its integrated assembly, the electrode ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

