

Lxsfp interface optical module



Lxsfp interface optical module



About this item Single-Mode MiniGBIC module, Supports full-duplex Wave Length: 1310nm. Data Rate: 1.25Gbps. Port Type: LC/UPC Max. Cable Length: 12.4miles (20km) for 9/125um Single-Mode Fiber ...



What Is a 1000BASE-LX SFP? A 1000BASE-LX SFP is a Gigabit Ethernet optical module designed to transmit data at 1Gbps over long-distance fiber links, typically up to 10km using single-mode fiber ...



Featuring a built-in Semtec chip and reliable FP laser / PIN receiver, the SFP module delivers low power consumption and stable optical links for 1G single mode networks like Gigabit Ethernet and Fibre ...



Axiom SFP Transceiver Modules are 100% compatible in all OEM applications. They are pre-configured with an application specific code to meet the requirement set forth by the router and switch OEMs.



Use the Compatibility Tool to verify FS transceiver compatibility with your device and access test reports. Arista Networks SFP-1G-LX compatible SFP transceiver supports up to 10km link lengths ...



This data sheet describes the benefits, specifications, and ordering information for the Cisco SFP Modules for Gigabit Ethernet Applications.



Discover everything you need to know about SFP optical transceiver modules for long-distance fiber transmission. Compare LX, EX, ZX models and choose the right module for your ...




SX vs LX SFP Module: What is the Difference? If you are looking at a datasheet, you will often see “SX” and “LX” listed next to each other. What's the difference? Think of SX as the “Inside the Building” ...



Use the Compatibility Tool to verify FS transceiver compatibility with your device ...



Learn what LX SFP (1000BASE-LX) modules are, how they differ from LR/LH/SX, and practical tips for compatibility, multimode use, and real-world deployment.



Explore the Cisco 1000BASE-LX/LH SFP module, designed for reliable and high-performance Gigabit Ethernet connectivity.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

