

## MTP-UPC Multimode Fiber



## MTP-UPC Multimode Fiber



12 Fibers MTP OM4 Multimode Trunk Cables:  
MTP/MPO Cable designed with 12 ...



12 Fibers MTP OM4 Multimode Trunk Cables:  
MTP/MPO Cable designed with 12 strand OM4  
fibers in a single cable, enhancing data rate  
performance by up to 12 times compared to  
traditional cables but ...



MTP® cable, a cost-effective alternative to time-consuming field termination, is designed for high-density fiber patching in data centers which need space saving and reduce cable management troubles.



The 12-fiber MTP® jumpers allow for the seamless migration to higher data rates for multimode systems in the data center when used in conjunction with our universal trunks. This jumper is based around ...



Upgrade your high-speed network infrastructure with the Multi-Mode OM4 MTP-12 Elite Fiber Optic Cable, engineered for maximum performance and density in modern data centers and ...



This Multimode MTP to LC/UPC Fanout Cable uses a Corning MMF Multimode ...




This type of fiber allows for tighter bends in your cables, so you can route without worry. The fiber comes in the form of 12 fiber 3mm micro-distribution cable with an aqua plenum jacket, which is rated for ...



MTP® cable, a cost-effective alternative to time-consuming field termination, is designed for high-density fiber patching in data centers which need space saving and reduce cable management troubles.



The MTP ® connector design offers novel patented features, enhanced precision, proven reliability, and significant performance improvements compared to the standard MPO connector format.



With one male and one female MTP/MPO connector, this OM3-rated multimode fiber optic cable allows IT professionals to extend the length of their connection and eliminates the need for long fan-out ...



This Multimode MTP to LC/UPC Fanout Cable uses a Corning MMF Multimode 50/125 fiber and features a Aqua, Plenum Jacket (OFNP). The fanout side has 12 LC/UPC simplex connectors and is ...



Built with 24 fibers (50/125µm OM3 multimode), this jumper supports 10G/40G/100G Ethernet applications over short-to-medium distances. Its Type A polarity ensures correct channel mapping, ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

