

# GDR Telecom Site Energy Systems

## Madagascar CFP8PAM4



## Madagascar CFP8PAM4



It is a small-form-factor hot pluggable transceiver module integrated with the high performance VCSEL laser and high sensitivity PIN receiver. It is compliant with 800G Ethernet specs and QSFP-DD MSA.


LoRawan outdoor base station




Use the Compatibility Tool to verify FS transceiver compatibility with your device and access test reports. The 800GBASE 2x FR4 OSFP optical transceiver module is ...



400G-FR4 transceivers. The electrical interface consists of eight 106.25G signals (800GAUI-8) that are converted to eight PAM4-modulated channels/lanes to transport the optical signal over CWDM ...




Notes: Receiver sensitivity is informative and is defined for a transmitter with a value of TECQ. Measured with conformance test signal at TP3 for BER = 2.4E-4 Pre-FEC.




Featured with low latency, low power, and reliability, it can link upward in spine-leaf architectures for switch-to-switch applications, downward for top-of-rack switch ...



Use the Compatibility Tool to verify FS transceiver compatibility with your device and access test reports. The 800GBASE-DR8 OSFP optical transceiver module is designed for 800GBASE Ethernet ...



NADDOD Cisco compatible OSFP-800G-2xFR4 Optical Transceiver Module is a high-speed, low-latency solution designed for 800GBASE-2xFR4 Ethernet with link lengths up to 2km over single ...



800G-FR4 OSFP based on silicon photonics and EML. 4 channels of 200G-PAM4 electrical data, 4 CWDM lanes MUX/DEMUX design, 2km maximum reach via ...



The 800GBASE-FR4 OSFP Optical Transceiver Module is designed for 800GBASE Ethernet throughput up to 2km lengths over single-mode fiber (SMF) with Duplex LC connectors. This transceiver is ...



NADDOD Generic Compatible OSFP-800G-2xFR4 optical transceiver is engineered for 800GBASE-2xFR4 Ethernet interconnects, supporting transmission up to 2km ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

