



Nicaragua Active Optical Cable PAM4



Nicaragua Active Optical Cable PAM4




The Active Optical Cable assemblies support 400G PAM4 applications and are available in standard lengths up to 100 meters including 1:2, 1:4 and 1:8 breakouts.



Thin and lightweight AOC cables simplify cable management, enabling an efficient system airflow, which is critical in high-density racks. It is used extensively in cloud and supercomputers due to its low cost, ...



This document has been deprecated, for more information refer to Interconnect Product Specifications or contact your NVIDIA representative at Enterprise Support Services. © Copyright ...



Supporting next-generation data center design with speeds up to 224G PAM-4, Active Electrical Cables (AECs) extend the reach of copper cables while reducing costs and ensuring excellent signal ...



The Active Optical Cables support 400G PAM4 applications and are available in standard lengths up to 100 meters including 1:2, 1:4 and 1:8 breakouts.



Our 50G SFP56 PAM4 Active Optical Cable delivers cutting-edge connectivity for next-generation 50G data center applications. Supporting 53.125 Gbps PAM4 signaling with lengths from 1m to 50m over ...



The Marvell Spica PAM4 DSP is a next generation solution for cloud data center, high-performance computing, and AI optical transceivers. Spica supports multiple industry standard protocols up to ...



LINKX 400GBE ETHERNET PORTFOLIO Direct Attach Copper (DAC) Active Optical Cables (AOC) 400GbE 400GbE-to-2x200GbE 400GbE-to-4x100GbE DACs, AOCs, Multimode + Single mode ...



Operating at 224Gb/s PAM4 signaling per channel, this connector features an optimized footprint ensuring superior signal integrity, with less than 2dB of loss at 53GHz



Last updated on Apr 29, 2026.



This active optical cable is compliant with QSFP112 MSA and IEEE 802.3 ck-400GAUI-4. Thin and lightweight AOC cables simplify cable management, enabling an efficient system airflow, ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

