


## Optical Module 28



## Optical Module 28



Long-Range SFP28-compatible optical transceiver module.



The 100G QSFP28 module solution provides high-performance 100GbE connectivity for data centres, enterprise core & distribution layers, computing networks and ...



Comprehensive 5G fronthaul 25G optical module selection guide. Compare SFP28 SR/LR/ER/BiDi/CWDM types covering distance, wavelength, power consumption, DDM diagnostics, ...



With data throughput in excess of 28.0 Gbps per lane, our 1X (1 x lane) SFP28 Optical Module (SR/LR) is perfect for use with 25-Gigabit (25G) Ethernet and our 4X (4 x lane) QSFP28 Optical Module ...



SFP28 transceiver that supports 25G connections up to 10 km using single-mode fiber with a duplex LC UPC connector.



☐☐ What is a QSFP28 Optical Module? The QSFP28 (Quad Small Form-factor Pluggable 28) is the industry-standard form factor for 100 Gigabit Ethernet (100GbE) and high-speed data ...



SFP28 optical transceiver modules SFP28 ports are 25G speed ports and similar in size to a 10G SFP+ or 1G SFP port. They have supporting circuitry to enable 25G speed transceiver, DAC, and AOC ...



An SFP28 (Small Form-factor Pluggable 28) transceiver is a compact optical module designed for 32G Fibre Channel (FC) and 25G Ethernet applications. It provides a streamlined upgrade path from 10G ...



The 100G QSFP28 module solution provides high-performance 100GbE connectivity for data centres, enterprise core & distribution layers, computing networks and service provider applications.



Featuring duplex LC connectors and 1310nm TX and RX wavelength, this SFP28 optical module is designed to deliver up to 25 Gb/s transfers over distances of up to 6.2 miles using single-mode fiber ...



The LightCONEX 28G 4TRX optical module is a four-lane, full-duplex, optical transceiver in a small, ruggedized package. It is available with a VITA 66.5-compliant Style C or Style D connector that ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

