

Pole threader fiber optic cable




Pole threader fiber optic cable



The design provides a 1-5/8" clearance from the surface of the pole to the cable and 3-3/4" clamping surface length. Material: Hot Dipped Galvanized, Ductile Iron



ADSS (All-Dielectric Self-Supporting) hardware and overlashing components are specifically designed for use with ADSS fiber optic cables in overhead telecommunications and power distribution networks.



Our High-Performance Heavy Duty Cable Anchor Clamp - Deadend is designed for fast, easy, and reliable installation with using only one hand. It is suitable for any cable types but mostly ...




Pole attachment hardware includes: clevis eyes, socket eyes, ball clevis, anchor shackle, oval eye nut, shoulder eye bolt, pole eye plate, and shielded wire support.



Durable aerial hardware for fiber utility and telecom builds, including brackets, straps, J-hooks, clamps, grounding, and mounting solutions for pole line and aerial cable ...



Optical Threader Cable Reel with Stand for Fiber Optic Cable with Metal Spool Cart Steel Reel Stand: The stand is made of high quality of steel, great weld, anti rust, durable and portable.



ADSS Fiber Cable Hardware ADSS LITE DEAD-END FOR FIBER CABLE ADSS POLE CLAMP ALUMINUM TRUNNION SUPPORT FOR ADSS FIBER CABLE



Deploying fiber above ground on poles or towers removes the need for underground digging and is particularly useful when the ground is uneven, rocky or both. Aerial installation is generally much less ...



PLP transmission, distribution, substation, fiber optic, solar, and EV solutions protect and connect overhead electric power lines and communications networks.



Durable aerial hardware for fiber utility and telecom builds, including brackets, straps, J-hooks, clamps, grounding, and mounting solutions for pole line and aerial cable support.



Fiber optic cable sequential numbers are required at each pole location and vault wall. Sequential numbers will identify conduit length, and slack left in vaults and at poles.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

