

# **Price of grounding cable tray connection**



## Price of grounding cable tray connection



These ground clamps connect grounding wire to cable trays. They clamp the ground wire on one side and the cable tray on the other.




Cast Copper Alloy Mechanical Grounding Cable Tray Clamp, #2 Sol-2/0 Str. Al/Cu Rated, 3/8" Stud, Galvanized Steel Hardware, Tin-plated Connector



Cables must be secured to the cable tray prior to and after the transition, and protected by guarding or location. The electrical connection between sections can be maintained with bonding jumpers or a ...



Introducing our Community Forum - a place for our customers to discuss ...



These ground clamps connect grounding wire to cable trays. They clamp the ground wire on one side and the cable tray on the other.



Introducing our Community Forum - a place for our customers to discuss everything wire and cable. Feel free to ask questions, share experiences, seek advice, and exchange knowledge. Let's discuss ...




Cable Tray Grounding Connectors Cable Tray Grounding Connectors Items 1 - 12 of 40 Sort By



Home > Electrical > Distribution and Circuit Breakers > Power Distribution > Grounding and Bonding Connector and Clamps > Grounding-Bonding Cable Tray Fittings Show In-Stock Only



In addition to providing an electrical connection between the cable tray sections and the EGC, the grounding clamp mechanically anchors the EGC to the cable tray so that under fault current ...



Eaton grounding strap, 0.162" height, 6.75" length, 0.162" width, Use to provide grounding path, Copper, Tin plated copper, Grounding strap, Grounding accessories, Includes 1 cable with crimped lugs and ...



Choose from our selection of grounding connectors, including grounding lugs for enclosures, grounding blocks, and more. Same and Next Day Delivery.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

