

Price of internal fixing bolts for cable trays



Price of internal fixing bolts for cable trays



Discover cable tray bolts and nuts with CE-certified, corrosion-resistant steel for secure, industrial-grade cable management solutions.



Would you like to tell us about a lower price? Specifically designed to provide a rapid and secure fixing when erecting cable trays. The fixed washer to flange nut prevents it from falling into the socket driver.



Specifically designed to provide a rapid and secure fixing when erecting cable trays. The fixed washer to the flange nut prevents it from falling into the socket driver. In addition to these fixings, we stock a ...



Cable Tray, 2" Depth x 4" Width x 10" Section, Material: Carbon Steel. Finish: Electroplated Zinc.



Cable tray bolt and serrated hex nut zinc plated. the serrated hex nut allows a quicker installation time and ensures a better grip Customers who bought this item also bought: High quality Mandrex ...



TechLine Mfg. provides a range of threaded fasteners for any application. Choose from zinc-plated, stainless steel, galvanized, and aluminum finishes. Contact us today!



These tray systems allow excellent ventilation and prevent sagging while routing. They support up to 280 lbs. per foot (based on a tray support, such as hanging clamps or a hanging bar, every 8 feet). ...




Would you like to tell us about a lower price? Specifically designed to provide a ...



Our cable tray bolts are zinc plated have a cross-slot head and come with serrated flange nuts.



These tray bolts and serrated flange nuts are specially designed for the rapid installation of cable tray and give a superior fixing than traditional roofing bolts.



Length:19.3mm
Small-end inner diameter:3.0mm
Large-end inner diameter:3.5mm
Outer diameter:5.5mm

OZ-Gedney Type CTGC Cable Tray Ground Clamp, Conductor Size: 6 AWG - 250 KCMIL, Aluminum Or Copper Conductor, Clamp: Extruded Aluminum, Screws: Steel, Finish: Clamp: Tin Plated, Screws: ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

