

Program-controlled switch with optical port



Program-controlled switch with optical port



The rack mountable instrument can switch up to 4 input fibers to any of up to 48 output fibers in a simplex or duplex mode, independently of data format, wavelength or optical power. The switch ...




Thorlabs offers a line of bidirectional fiber optic switch kits that include a MEMS optical switch with an integrated control circuit that offers a USB 2.0 interface for easy integration into your optical system.



We present PipSwitch, an optical circuit switch using programmable integrated photonics. PipSwitch uses an ILP model to correctly and optimally solve the switching problem, and finds a set of port ...



The evaluation board integrates a standard RS232 port or USB-based virtual COM port, as well as TTL interfaces, allowing the user to easily create flexible and customized control logic configurations.



SDH has three main characteristics: synchronous multiplexing, standard optical interface and powerful network management capabilities.



With support for Software-Defined Networks (SDNs) via embedded NETCONF and RESTCONF control interfaces, the POLATIS Series 7000 can route time-critical traffic with very low-latency to enable ...




The fastest, smallest, most reliable optical switches in the industry. Used in medical devices, undersea cables, quantum computers, underground and outer space.



Explore the applications of optical switches in optical path provisioning, protection switching, packet networks, and modulation, focusing on their switching time and port requirements.



Bring software-controlled optical circuit switching into your network to maximise uptime and performance. The POLATIS range combines decades of expertise ...



MEMS Matrix Optical Switch allow simultaneous connection between a number of input and output fibers, in a fully non-blocking, all-optical, cross-connect configuration.



The first input port 1 is matched with the first output port 17, and in a similar fashion, all other input ports are matched with a corresponding output port, up through the last input port 16 matched with the last ...



For ease of integration, each switch comes with a pre-programmed driver board and uses standard I2C communication protocol for control. The driver board that can be mounted separately or with the ...



Lfiber''s fiber optic switch is available from 4 to 256 ports/channels (typically 128/64/32/24/16/8/4 port). The port count is customizable according to specific ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

