


GDR Telecom Site Energy Systems

Rwanda CIF price single-fiber bidirectional 25G



Rwanda CIF price single-fiber bidirectional 25G



The Cisco 10/25GBASE-LR Module supports a link length of 10 kilometers on standard Single-Mode Fiber (SMF) G.652 at both 10G and 25G. The module requires RS-FEC on the host ports for full ...



SFP28 transceiver that supports 25G connections up to 10 km using single-mode fiber with a duplex LC UPC connector.




The SFP28 transceiver provides up to 20km of 25GBase-BX throughput over ...



The Cisco 25GBASE-ER Module supports a link length of 40 kilometers on standard Single-Mode Fiber (SMF) G.652 at 25G. The module requires RS-FEC on the host ports for full reach operation at 25G.



We have a track record of giving our customers access to a big variety on the SFP Modules products line, speedy delivery and excellent service. Talk to our customer service agents today on product ...



SFP28 transceiver that supports 25G connections up to 10 km using single-mode ...



Maximize your fiber infrastructure with Compufox BiDi SFP28 25G transceivers. 100% compatible with Cisco, Arista, and more. Single-strand fiber solutions for 10km to 40km.



This bi-directional 25G SFP28 transceiver enables high-speed 25.78Gbps data transmission over a simplex of single-mode fiber, effectively doubling fiber infrastructure capacity.



Product Description This fiber optic transceiver is the direct equivalent to Cisco ...




The SFP28 transceiver provides up to 20km of 25GBase-BX throughput over single-mode fiber (SMF) using 1330nm-TX/1270nm-RX wavelengths via LC simplex connectors.



The 25G BiDi SFP28 transceivers are designed to enable bi-directional 25G serial optical data communications using either 1270nm/1330nm wavelengths. These modules are ideal for use in 25G ...



The GIGALIGHT 50G SFP56 BiDi single-fiber bidirectional optical transceiver module is used for 5G fronthaul, conforms to 50G Ethernet transmission protocol, and is also compatible with 50G eCPRI ...



Product Description This fiber optic transceiver is the direct equivalent to Cisco SFP-25G-LR-S for 25Gbps connectivity up to 10km (6.2mi) over LC-terminated Single Mode Fiber (SMF) cable. The ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

