


GDR Telecom Site Energy Systems

Rwanda EPON Equipment QSFP-DD



Rwanda EPON Equipment QSFP-DD



July 11, 2019 - QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER - Rev 5.0 May 8, 2019 - Common Management Interface Specification - Rev 4.0



The 400G-QSFP-DD-FR4 can convert 8-channel 53.125Gb/s electrical data to 4-channel 106.25Gb/s optical signals, and multiplex them into one single mode fiber for 425Gb/s optical transmission.



Equipment equipped with QSFP-DD ports supports backward compatibility with existing QSFP+, QSFP28, and QSFP56 modules. This feature provides exceptional flexibility and a smooth ...



Learn more about the Cisco QSFP-DD Open Line System (QDD OLS), a pluggable optical amplifier module that provides a simple yet powerful open line system solution in a pluggable form ...



The QSFP-DD and QSFP112 both supports up to 400 Gb/s in aggregate. respectively over 8 lanes of 50 Gb/s and over 4 lanes of 100 Gb/s electrical interfaces. The QSFP-DD800.



Learn more about the Cisco QSFP-DD Open Line System (QDD OLS), a pluggable optical amplifier module that provides a simple yet powerful open line ...



What is QSFP-DD? QSFP-DD is an advanced hot-pluggable optical transceiver form factor that doubles the bandwidth density of traditional QSFP28 modules by implementing a double ...



mechanical and thermal requirements of the pluggable QSFP Double Density (QSFP-DD/QSFP-DD800) and the QSFP112 module in the classic 4-lanes QSFP form factor, connector and cage system.



The QSFP-DD transceiver has become the standard format for 400G and 800G connections because it delivers backward compatibility and high port density and future-proofing ...



The QSFP-DD family supports legacy QSFP channels on the front interface and four additional channels on the rear interface. This interconnect system optimizes density and power ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

