

# GDR Telecom Site Energy Systems

## Senegal CFP2200G




## Senegal CFP2200G



Recognized by UL & CE; Note: Floating life at 20°C designed for 20 years. ABS container. Note: we can produce other type gelled batteries according with clients requirements.



ence for GM. teel incl. . Data Logge. Supply, Ba. or GMA200-M. . Power sup.



This product has acquired the relevant product qualification (s)/license (s) of certain applicable country/countries. View more.



Senegal power cords with C-13, C-19, C-7, C-5, C-15 cord connector options or to unterminated ends. Contact us for In Stock Senegal approved power cords and AC cables.



2V 200AH Sealed VRLA GEL Maintenance Free Battery CFP2200G VELA for Telecommunication Backup Power



Note: The above characteristics data can be obtained within three charge/discharge cycles.



Gelled electrolyte technology; AGM separator; Recognized by UL & CE; ABS container. Note: The above characteristics data can be obtained within three charge/discharge cycles.



159300360 - Pipe Outside d d13 - d115, Accuracy  $\pm 2\%$  o.R. for DN100, Communication Interface 4-20 mA, Pulse, Power supply Battery, Data Storage & Export -, Heatmeter -, Cable length 2



Carbon graphite packing provides continuity between the stem and body while a stainless steel spring pro-vides anti-static continuity to the ball. Standard on class 150 and 300 valves, optional on class ...



most reliable joint seal. "Exposed Coil" Design. Unlike competing embedded-coil technology, which has to heat the entire coupling, Friatec's unique "exposed coil" melts the coupling and pipe surfaces dire. ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

