


Single-mode fiber optic patch cord ST- LC 15 meters



Single-mode fiber optic patch cord ST-LC 15 meters



Single mode ST-LC patch cord FAS15-2-3 Fiber optic patch cords suited for equipment jumper cable, cross connects, and work area connections.



Product Details ... Product Overview Singlemode duplex LC to ST fiber jumper with a yellow jacket. 15 Meters.



Single Mode 9/125 (OS2) fiber optic cables are used for single mode applications intended to run long distances due to the low rate of attenuation that results from the single projected light source.



Looking to make a LC ST Fiber connection through a high-quality cable? Try our new 15-meter Single Mode LC ST Patch Cable duplex and save on high-quality.




Get the highest quality ST fiber optic cables from FiberCablesDirect. We carry Singlemode, Multimode Duplex ST Fiber Patch Cables/Network Jumpers. OM1, OM2, OM3, OM4, OS2. ST/ST, ST/SC, ...



TAA Compliant Fiber Patch Cable ST-LC
 Singlemode OS2 is a perfect combination of high performance, low data loss and cost efficiency. Purchase today at Cables Plus USA.



With LC to ST connectors, this fiber patch cable is ready for deployment in any singlemode 9/125 network. Singlemode 9/125 are best used for long cable runs. This singlemode, duplex fiber cable is ...



Singlemode duplex LC to ST fiber jumper with a yellow jacket. 15 Meters.



Specially designed for fast Ethernet, Fiber Channel, Gigabit Ethernet Speeds, data center, premises, educational, LAN, SAN, commercial, 10GBASE-L, 10GBASE-E, 1000BASE-LX and Asynchronous ...



With LC to ST connectors, the FCA-S1SR-LCST-15M fiber patch cable from L-com is ready for deployment in any single mode OS1 9/125 network. This single mode, simplex fiber cable is ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

