






Swiss Cable Tray Specifications and Models



Swiss Cable Tray Specifications and Models

 <p>SUPPORTS DIN RAIL INSTALLATION</p>	<p>Kempston Controls</p>
	<p>Swifts® cable tray ancillary items / covers SS light duty, MRF medium duty, SRF heavy duty, XRF extra heavy duty 12 or 1</p>
	<p>BS EN 10142 and 10143 provides the specifications for pre-galvanized steel; within this standard the Z275 coating classification is normally used for services support equipment.</p>
	<p>Swifts Cable Tray Technical Guide - Free download as PDF File (.pdf), Text File (.txt) or read online for free.</p>
	<p>Swifts cable tray has been tried and tested in installations of all sizes throughout the UK and beyond, from light duty requirements in small commercial buildings through to extra heavy duty installations in ...</p>



Swifts Heavy Duty Pre-Galvanised Steel Cable Tray
90° Flat Bend 225mm x 50mm REF. SRFB225PG |
EAN. 5012774331223



Swifts cable ladder has been tried and tested in
installations of all sizes throughout the UK and
beyond, from medium duty requirements in small
commercial buildings through to extra heavy duty
...



Designed to integrate with the existing Swifts
cable tray system, Swiftclip can be used with
medium (MRF and heavy duty (SRF) in 50 to
300mm widths. The entire system offers excellent
earth ...



The gauge "t" for each cable tray width and finish
can vary by product and range Non-standard
gauges and finishes are available to special order,
contact us on +44 (0) 845 605 4333



Distrelec Switzerland stocks a wide range of Ducts,
Cable Trays & Trunking. Next Day Delivery
Available, Friendly Expert Advice & Over 180,000
products in stock.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

